


Zero-Leak Plant is no more only a dream but a Ground-reality.

UNI KLINGER have brought yet another Patented Technology to Indian Process Industries for Steam or Gas Leak Monitoring.



The Spanish Revolution in Oil & Petrochemical field





Description

Bi-Thermostatic bimetallic steam traps are equipped with corrosion resistant regulator unaffected by water hammer and superheat. The cover features an external adjustment device that can be utilized while in operation, Independent seat & cone valve, continuos discharge When the temperature starts to rise the upper thermostate will expand producing the progressive closure of valve. When the temperature decreases the lower thermostate opens the valve adding the Pressure Balancing Feature. The Cone valve is placed on upper stream far from the flash steam zone resulting in long life and reduces maintenance costs.

Bi-Thermostatic Bimetallic Steam Traps

Advantages

- Connection for Smart Watch
- Innovation & high technology
- Autonomous operation
- Intelligent surveillance
- On line external adjustment
- No spares required
- Reduction in operation costs
- Reduction in maintenance costs
- Independent seat and valve
- Balance pressure design
- Reliability
- Up to 3 years warranty **

Maximum Operating Condition


Model	РМО	ТМО	Max. Diff. Pressure
UT25 &	25 Bar	400	25 Bar (g)
UG25	(g)	°C	
UP45Ti &	45 Bar	400	42 Bar (g)
UG45Ti	(g)	°C	

Available Sizes & End Connections

15. 20 & 25 NB SW/ BSP/ BSPT/ NPT/# 150*/# 300*

- * With welded flanges MOQ 25 nos.
- * Higher Pressures on request
- ** For Low Pressure Steam Trap





Features


- Patented technology.
- Microprocessor based monitoring device,
- High network integration capacity.
- Monitoring of 4 parameters with integrated sensors.
- Simple cabling & wiring with 12VDC supply.
- RS 485 networking over a range of 1200 m.
- Certified for intrinsic safety requirements (EEx ia IIC T4).
- Variety of Alarm Modes.

ITVS with Smart Watch (Intelligent Trap Valve Station)

Advantages

- Mounted on ITVS having individual Piston Valves for Isolation, Blowdown & Trap Test.
- Continuous steam or gas leak detection.
- Designed for BiTherm traps and can be used on any traps & valves.
- Continuous steam/ gas leak detection in safety valves, on-off control valves, etc.
- Increased safety when used on hazardous process gases.
- Pollution prevention and environmental protection.
- Diagnostic information provides value addition.
- Zero leakage from steam traps and valves
- Reduction of costs (Production, Maintenance, Inspection & Energy)
- Rugged and Compact. Designed for 80 deg.C ambient conditions.






Dimensions


Size mm	15	20	25
L mm	95	95	
B mm	150	150	160
H1 mm	105	105	105
H2 mm	65	65	65

Capacity Curves for Model UT25 & UG25



Capacity Curves for UP45Ti & UG45Ti

Differential pressure (psi)



In view of technical progress designs and dimensions are subject to change without notice.



UNI KLINGER LIMITED

A joint venture of the Neterwala group of companies and KLINGER AG. Switzerland.



- AN ISO 9001: 2000 COMPANY

Sales Office :

Factory

SC1, 5th Fl., Kohinoor Estate. Mumbai-Pune Highway, Khadki, Pune-411003.

Tel.: 91-20-25823244 Fax: (020) 25817566

e-mail: salescso@uniklinger.com Website: www.uniklinger.com

: GAT No 1240, S No 140, Village Vadu Budruk, Koregaon Bhima, Tal. Shirur, Dist - Pune - 412 216.

Tel.: (02137) 252908 / 252679 Fax: (02137) 252680 e-mail: fsdworks@uniklinger.com

Branch Offices:

Baroda : 102, Offtel Towers II, 1st Floor, R.C. Dutt Road, Baroda- 390 005. Tel.: 91-265-2312343/2340660 Fax: 91-265-2341419

e-mail salesbar@uniklinger.com

Chennai :

East Coast Centre, 5th Floor, 553, Mount Rd.. Tevanampet. Chennai- 600 018. Tel.: 91-44-24345707 Fax:91-44-24343960. saleschen@uniklinger.com

Kolkata:

9. 'CHITRAKOOT'. 8th Floor, 230 A. AJC Bose Road, Kolkata- 700 020. Tel.: 91-33-22872510 Fax: 91-33-22876494 salescal@uniklinger.com

Mumbai:

A-204, Nagesh Co-op. Hsg. Soc., LBS Marg, Navapada, Thane -400 602. Tel.:91-22-25421140 91-22-25440461 Fax:91-22-25440463 e-mail:

salesmum@uniklinger.com

New Delhi:

321, Ansal Chamber-II, 6, Bhikaji Cama Place, New Delhi-110 066. Tel.: 91-11-41658767 91-11-26193847 Fax: 91-11-41658768

e-mail: salesdel@uniklinger.com

Pune:

Sc1, 5th Fl., Kohinoor Est. Mumbai-Pune Highway, Khadki, Pune-411003 Tel.: 91-20-25811606 : 91-20-32500229 Fax : 91-20-25824643 salespune@uniklinger.com